

**PALM**


FOR LININGS  
 FOLD MATERIAL  
 IN 1/2, CUT 2 PIECES  
 AT ONCE - ONE LEFT,  
 ONE RIGHT.

FOR OUTSIDE/LEATHER:  
 LAY OUT SINGLE THICK-  
 NESS, RIGHT SIDE UP

TRACE/CUT OUT 1  
 PIECE PRINTED PATTERN  
 SIDE UP, CUT OUT 1  
 PIECE PATTERN SIDE  
 DOWN

CUT OUTSIDE  
 (LEATHER) FIRST,  
 THEN CUT MIDLINER,  
 THEN INNER LINER

SEAM  
 ALLOWANCE  
 ALL SIZES:  
 4-5 mm/  
 3/16th "



OUTER LAYER/LARGEST  
 MID SIZE  
 CUT LINE  
 MID LINE  
 INNER MOST LINER (SMALLEST)

CUT LINE/MID LINER

STOP SEWING!

STOP SEWING!

STOP SEWING!

STOP SEWING!

hem if desired

BACK of  
HAND/MITT

\* CUT OUTSIDE FIRST:  
CUT 1 WITH PATTERN  
FACE UP, CUT ONE WITH  
PATTERN FACE DOWN \*

FOR LININGS, FOLD MATERIAL  
IN HALF, PIN ON PATTERN  
CUT 2 PIECES AT ONCE - ONE  
LEFT, ONE RIGHT

CUT LINE  
LEATHER  
CUT LINE  
INNERMOST LINER  
OUTERMOST LAYER  
CUT LINE  
MID SIZE / MID LINER

SEAM  
ALLOWANCE:  
4-5 mm / 3/16"  
all sizes  
#

STOP STITCHING

STOP STITCHING

STOP STITCHING

STOP STITCHING

hem if desired

